

NOTICE

Regular meeting of the Baileys Harbor Sewer Committee will be held on **Monday, September 27, 2010 at 6:00PM** in the meeting room at the Town Hall, 2392 County Road F. Discussion and decision may be made on any agenda item. Deviation of the agenda may occur.

AGENDA

1. Call to order
2. Verify posting/accept agenda
3. Accept minutes
4. Accept Treasurer report
5. Citizen input
6. Discuss water runoff problems on Chapel Lane
7. Discussion/possible decision on flooding problems at 7722 Prestwick Way
8. Discuss/decide replacement of alum level meter
9. Update on possible lift station pump replacement
10. Set date for budget meeting
11. Don Prust – Sewer report
12. Committee input
13. Adjourn

Posted Friday, September 24, 2010
Douglas Smith
Town Clerk

Questions regarding the nature of agenda items or more detail on agenda items listed above can be directed to Douglas Smith, Town Clerk, at (920) 839-9509 or tbaileysharbor@dcwis.com

It is possible that a quorum of members of other governmental bodies of the Municipality may be in attendance at the above stated meeting to gather information. No action will be taken by any governmental body at the above stated meeting other than the governmental body specifically referred to above in this notice. It is the policy of the Town of Baileys Harbor to comply in good faith with all applicable regulations, guidelines, etc put forth in the Americans with Disabilities Act. Any person (s) in need of an alternative format (i.e. larger print, audio tapes, Braille, reader interpreters, amplifiers, transcription) regarding information disseminated by the Town of Baileys Harbor notify the Town 48-hours prior to a meeting, etc or allow 48-hours after request for a copy of notices etc. for delivery of that alternative format. Contact Douglas Smith at (920) 839-9509.